

Soundbar with integrated subwoofer

Active 3.1 Dolby Atmos soundbar with integrated twin-drive subwoofer 360 watts total music power and 9 active drivers

Dolby Atmos, DTS:X and HDMI eARC support

Expandable to discrete 5.1 home cinema via Loewe wireless digital audiolink

Multiroom audio via DTS Play-Fi, Apple AirPlay, Google Cast, Spotify and Roon

Integrated 5.1 home cinema AV receiver with cinch out for external active speakers

Fits perfect to TV sets 43 inch or bigger





























LOEWE. was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923.

Today we still design, develop and produce consumer electronics - Made in Germany.

bild – is the German word for picture or image.

klang - is the German word for sound or tone.

Data sheet Loewe klang bar3 mr February 2024











Active soundbar with integrated subwoofer





Powerful cinema sound.

This active 3.1 soundbar with seven front-firing speakers and a built-in twin-drive subwoofer delivers a total music output of 360 watts for a room-filling and natural sound experience - including support of Dolby Atmos, Dolby Atmos Music, DTS:X as well as multiroom via DTS Play-Fi, Apple AirPlay and Google Cast, or via Loewe wireless digital audiolink (second generation) and AV Receiver pre-amp cinch out connections.

Multichannel and Multiroom.

Three HDMI connections and 4K pass-through leave nothing to be desired when connecting to UHD players, set-top boxes and game consoles. The 5.1 multichannel platform with Dolby Atmos support and the multiroom system with DTS Play-Fi makes expanding the system a breeze. Additionally, Loewe klang mr speakers can be added to the existing setup in seconds.

Versatile streaming options.

Apple AirPlay 2, Google Chromecast and Bluetooth provide a variety of services such as Spotify, Amazon Music, Tidal, Deezer and Internet radio. Stream your favourite content at the touch of a button.







Expandable system.

The soundbar can be expanded with additional Loewe klang mr speakers. Within seconds, klang mr1, klang mr3 or klang mr5 can be added wirelessly to an existing setup, whether for multi-channel home cinema, multi-room audio or even both at the same time. At the same time, the system is compatible in all directions thanks to open standards. Whether third-party speakers, Loewe klang 5 or klang 9, or even the former Loewe Individual Sound System with active subwoofers and electrostatic speakers - almost anything can be connected.

Integrated twin-drive subwoofer.

Enjoy this masterpiece of German engineering for absolute audio pleasure with best clarity and voluminous cinema sound: Two parallel, up-firing subwoofers with 4-inch drivers and bass reflex ports to the left and right provide an ambient, wide and unobtrusive bass foundation, always ready to give the necessary deep punch to strong musical expressions or film explosions.

Cinch pre-amp outputs.

Using the AVR connections, active speakers and active amplifiers with connected passive speakers of older generations and from any brand can be connected to the Loewe klang bar3 mr without an additional adapter. The speakers connected by cable are conveniently activated via the soundbar.

olour		

basalt grey

Model	Article
klang bar3 mr	60614

Active soundbar with integrated subwoofer

Achievements











"The Loewe klang bar3 mr is a smart universal genius."

HIFI.DE, 28. May 2023 about klang bar3 mr test score 8.2 GOOD

"The Loewe klang bar3 mr offers a full and dynamic sound image for music and home cinema."

HiFi Test, edition 4/2023 about klang bar3 mr test score Top Class, 1,0

Roon system



Loewe multi.room supports the music information system Roon. All products within the Loewe multi.room series have received the Roon Tested certification from Roon Labs.

The Roon Tested certification proves that the Roon music information system can be used in its entirety with Loewe multi.room products. This extends the performance of the Loewe multi.room series and guarantees an outstanding audio experience with the simplest setup and highest realibility.

The Loewe multi.room products are perfectly integrated into Roon and ready to use for an excellent, bit-perfect audio experience. In addition, Roon is an interface for all Roon-compatible devices. Loewe's Roon Tested certification stands for power, flexibility and performance in networked audio, coupled with easy set-up and maximum reliability. This certification is a seal of approval for the seamless integration of audio technology.

For more details visit: https://roon.app

Data sheet Loewe **klang bar3 mr** February 2024

Active soundbar with integrated subwoofer

Setup solutions

Loewe floor stand flex

Floor stand for bild v, bild i, bild c and We. SEE in combination with klang bar5 mr and klang bar3 mr W x H x D = $54.0 \times 73.5 \times 54.0 \text{ cm}$ Weight = 23.5 kg

manually rotatable (+/-45°), concealed cable guide, with equipment board for accessories and adapter for sound bar

basalt grey

Model Article
floor stand flex 60800

Loewe wall mount klang bar

Wall mount for mounting the Loewe klang bar5 mr or Loewe klang bar3 mr

 $W \times H \times D = 40 \times 5 \times 13,2 \text{ cm}$ Weight = 1,2 kg

Loewe spacer table stand v

Spacer between TV and table stand $W \times H \times D = 5.2 \times 5.7 \times 5.2 \text{ cm}$ Weight = 0.8 kg

Loewe spacer table stand i

Spacer between TV and table stand W x H x D = $5.3 \times 6.3 \times 5.3$ cm Weight = 0.2 kg



spacer table stand v 60811

60810



black

spacer table stand i 60812

Active soundbar with integrated subwoofer

System components

Loewe multi.room amp

Stereo amplifier for multiroom and homecinema installations with 1.200 watts total music power

Colour





Model Article multi.room amp 61600

Loewe klang mr5

Wireless active speakers with 180 watts for multichannel home cinema or multiroom audio



klang mr5 60606

Loewe klang mr3

Wireless active speakers with 150 watts for multichannel home cinema or multiroom audio



klang mr3 60605

Loewe klang mr1

Wireless active speakers with 30 watts as rear surround or for multiroom audio





klang mr1 60604

Loewe klang sub5

Any number of klang sub5 can be connected to a klang bar3 mr or klang bar5 mr at the same time





klang sub5 60603





























Technical data	
Loewe klang	bar3 mr
Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	50-20.000
Orientation front / side / up / rear firing	•/•/-
Acoustic speaker concept	closed bar, twin drive sub, bass reflex
Channel configuration (speaker layout)	$\frac{3.1(\text{surround})}{9}$
Oriver total amount Oriver active	4x 48 x 90 mm, 3x 0,75", 2x 4"
2-channel crossover	• active
Audio (electric)	
requency range (Hz) @ ±1 dB	20-20.000
Class-D amp	
Power (watts sine / music)	180 / 360
otal harmonic distortion @ 1 watt /10 watts	< 0,5
lynamic range / Signal to noise ratio (dB)	24 bit / > 75
Bass and treble control / loudness	• (remote) / dynamic
Distance adjustment (m) Balance / gain adjustment (dB)	
Protection circuit: heat / current / voltage / short cut	
Oolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	•/•/•/•/•
ITS HD / DTS:X	•/•
peration and apps	
Display technology	White D-LED
Screen resolution (pixels)	5 x 16 segments
Screen diagonal (cm / inch)	6/2,4
ny Loewe app / smart apps (all: Android + iOS)	● (DTS Play-Fi)
foice control by Alexa skills oftware update (via USB / Internet)	•
	♥/ ♥(DISTIBYTI)
Media and receiption	
JSB music player Bluetooth music player	
nternet radio	• (via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	•/•
Spotify Connect / Google Cast / Apple AirPlay	•/•/•
Coon tested	•
Multiroom audio support	
Multichannel home cinema support	•
Connectivity and interfaces	
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)
IDCP 2.2 / HDMI-CEC / ARC / eARC ISB	1, UCD 20 (MD2 and A)
Bluetooth	1x USB 2.0 (MP3 only)
VLAN (Wi-Fi) integrated	
Vireless Digital Audiolink (second generation)	
Optical TOSLINK	•
V receiver analog pre-amp cinch out 5.1 / 3.1 / 2.1 / 2.0	●/●/●/●
nalogue audio jack in (3.5 mm stereo)	
Vall mount	0
letwork and formats	
/LAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac
VLAN (Wi-Fi) power (max. mW) VLAN (Wi-Fi) frequency range	<100 2400-2483.5 / 5150-5725 MHz
VLAN (WI-FI) frequency range VLAN (WI-FI) encryption	WEP 64, 128 Bit (ASCII, HEX)
/LAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
lluetooth standard	5.0 + EDR
luetooth power (max. mW)	<10
lluetooth frequency range	2,4 GHz
luetooth protocols	A2DP SNK, AVRCP MR2 AAC AAC A MAA WAY FLAC ROM Dolby True HD Dolby Audio Dolby Digital Dolby Digital Plus Dolby
upported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolby Audio, Dolby Digital, Dolby, Digital Plus, Dolb, Atmos, Dolby Atmos Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO
Supported video formats	4K Video Pass-Through, Dolby Vision, HDR10, HDR10+
nergy and environment	
lains voltages AC	100-240V, 50/60 Hz
ower consumption eco standby mode (watts)	0,5
ower consumption eco standay mode (watts)	6
mbient temperature while in operation	5-35° C
elative humidity (non-condensing)	20-80%
limensions	
Veight (approx. kg)	5,9
/* x H x D (approx. cm)	95,0 x 7,1 x 16,0
Scope of Delivery	
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)
Manual / power cord	•/•
Others	HDMI cable
Optional accessories	
Selection of recommended setup solutions and audio systems	bild i, floor stand flex, spacer table stand v, spacer table stand i, wall mount klang bar, klang mr5, klang mr3, klang mr1, klar

• = available, • = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.