

Loewe klang s3 | s1

Smart radio with audio streaming and optional CD player

Stereo system with FM, DAB+ and internet radio

Audio streaming with Spotify Connect, Amazon Music and Deezer

120 watts | 80 watts total music power with bass reflex system

Bluetooth, USB and MP3 support

CD player optional

High resolution colour display

Loewe radio app and stylish remote control

Massive aluminum housing with two colour options





amazon music

...deezer









LOEWE. was found by the brothers Loewe as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics - Made in Germany. bild - is the German word for picture or image. klang – is the German word for sound or tone.

Datasheet Loewe klang s September 2023











Loewe klang s3 | s1

Smart radio with audio streaming and optional CD player



Enjoy music in a variety of ways.

The smart streaming systems Loewe klang s provide versatile listening pleasure with Internet radio, podcast and DAB/DAB+ tuner and inspire with crystal-clear sound. Up to 25,000 stations plus approx. 10,000 podcasts can be individually programmed.



Stylish design.

The aluminum housing with profiled buttons, illuminated rotary control and the slim silhouette provide a modern look. Loewe klang s takes up hardly any space and fits ideally into living rooms as a minimalist solution.



Large display.

Loewe klang's offers a particularly large display. This makes the content easy to read and clear. The user interface is intuitive and easy to understand.



Integrated CD player.

The additional CD slot of the model Loewe klang s3 provides even more music enjoyment.



basalt grey



light grey

Model	Article
klang s3	60608
klang s1	60607















Loewe klang s3 | s1

Smart radio with audio streaming and optional CD player





amazon music

....deezer









uct and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endor

Technical data		
Loewe klang	s3	s1
Audio		
Acoustic speaker concept	bass reflex	bass reflex
Channel configuration (speaker layout)	2.0 (stereo)	2.0 (stereo)
Output (watts sine / music)	60 / 120	40 / 80
Driver (active + passive)	4 (2x 42mm, 2x 3")	4 (2x 42mm, 2x 3")
Orientation front / side / up / rear firing	• /-/-	• /-/-/-
2-channel crossover		•
Class-D amp	<u> </u>	•
Frequency range (Hz)	50-20.000	70-20.000
ndividual bass and treble control / Loudness	_	
	• (remote) / dynamic	• (remote) / dynamic
Display	220 240	200 040
Screen resolution (pixels)	320 x 240	320 x 240
Display technology	LCD + LED	LCD + LED
creen diagonal (cm/inch)	8,1/3,2	8,1/3,2
Receiption		
DAB band III (MHz) / DAB / DAB+ / EWF	<u>174,9 - 239,2 / • / • / - </u>	174,9 - 239,2 / • / • / -
JKW radio (analog FM) / mono / stereo / RDS	87,5 - 108,0 / • / • / •	87,5 - 108,0 / • / • / •
Operation		
Smart apps (all: Android + iOS)	Loewe radio app, my Loewe app	Loewe radio app, my Loewe app
M / DAB+ / Internet radio	-/ •	-/•
Multimedia		
CD player	• (12 cm compact disc)	-
Music player	•	•
Bluetooth music player	•	•
FM / DAB+ / Internet radio	•/•/•	•/•/•
Spotify Connect / Google Cast / Apple AirPlay	• / - / - (Amazon music, Deezer)	• / - / - (Amazon music, Deezer)
Connectivity and Interfaces		·
JSB	1 x USB 2.0	1 x USB 2.0
Bluetooth	•	•
WLAN (Wi-Fi) integrated	•	•
Antenna IEC	•	•
Network		
	IEEE 902 11a /b /c /p	IEEE 903 11a /b /c /a
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n	IEEE 802.11a/b/g/n
VLAN (Wi-Fi) power (max. mW)	<100	<100
VLAN (Wi-Fi) frequency range	2412-2472 / 5180-5700 MHz	2412-2472 / 5180-5700 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2	4.2
Bluetooth power (max. mW)	<10	<10
Bluetooth frequency range	2,4 GHz	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP	A2DP SNK, AVRCP
Formats		
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, CD-DA, CD-R, CD-RW	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM
Energy		
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption standby / network standby (watts)	<1,0	<1,0
Environment		
mbient temperature while in operation	5-35° C	5-35° C
Relative humidity (non-condensing)	20-80%	20-80%
Dimensions		
Veight (approx. kg) excl. / incl. standard setup solution	5,1	3,3
V* x H x D (approx. cm) without setup solution (* incl. signature flag)	46,0 × 16,0 × 9,0	33,5 x 12,0 x 9,0
	10,0 % 10,0 % 3,0	00,0 x 12,0 x 0,0
Scope of Delivery	L	L
Remote control (incl. batteries)	Loewe remote klang s (2x CR2032)	Loewe remote klang s (2x CR2032)
Manual / power cord	• / •	• / •

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Datasheet Loewe klang s September 2023